

Skreens Park Activity Centre – Risk Assessment – Bouncy Castle

Date of assessment: 02/17    Review Date: 01/18  
 Location: On site – Main Field out side of barn  
 Assessed by: Jon Dipple  
**This document consists of page 1**

Severity 0 – 10, Likelihood 0 -10, Rating 0 - 100  
 0 being the lowest possible value  
 Rating = Likelihood X Severity  
**All Hazards should fall within the adequately controlled category or lower.**

Hazard	Who might be Harmed?	Existing Controls	Severity 1-10	Likelihood 1-10	Rating (SxL)	What further action is required to control risk
Getting squashed by a larger person	All	Leaders advised to only allow similar sized people on the bouncy castle at any one time. No more than 6 people on the bouncy castle at a time.	6	3	18	Adequately controlled
Slipping	All	No shoes to be worn on the bouncy castle to keep the surface clean	3	6	18	Adequately controlled
Falling on neck	All	Instruction given to group leader stating bouncing up and down only	7	2	14	Adequately controlled
Falling off side of Bouncy castle	All	Soft area on entrance of castle. Leaders instructed to supervise getting on and off.	2	5	10	Trivial Risk
Bouncy castle tipping over	All	Ground anchors in place to stop bouncy castle tipping. Checked before each session by activity instructors	4	3	12	Adequately Controlled
Tripping over power cable And ground anchors	All	Cable routed by instructor when set up and bouncy castle fenced off.	2	5	10	Trivial Risk
person falling onto bystander	All	Area around inflatable roped off with entrance gate and rules set up by entrance. Group leader told to enforce rules otherwise activity will be stopped	2	9	18	Adequately controlled
Items in pockets injuring person	Participant	All participants are advised to empty pockets before going on the bouncy castle	2	2	4	Trivial Risk
Horseplay	Participants	Instructors observe for aggressive behaviour.	6	2	12	Adequately controlled

Rating:	81-100	61-80	41-60	21-40	11-20	0-10	Code
Action:	Immediate action	Action within 1 week	Not adequately controlled	Further investigation	Adequately controlled	Trivial risk	RA11a