

Skreens Park Activity Centre - Risk Assessment - Pioneering

Date of assessment: 02/2017 Review Date: 01/2018

Location: Activity Barn Lawn

Assessed by: Jon Dipple

This document consists of 1 page

Severity 0 – 10, Likelihood 0 -10, Rating 0 - 100

0 being the lowest possible value

Rating = Likelihood X Severity

All Hazards should fall within the adequately controlled category or lower.

Hazard	Who might be harmed	Existing Controls	Severity 1-10	Likelihood 1-10	Rating (SxL)	What further action is required to control risk
Environmental factors	All	Instructors to be aware of hypo/hyperthermia All activities cancelled if conditions are deemed to endanger safety – i.e. lightning or high winds	8	2	16	Adequately Controlled
Objects falling down	All	Participants are advised to check structure carefully and be cautious when climbing on any structure. Responsible adult must be present to help ensure that structure is stable.	4	3	12	Adequately controlled
Injury due to the elements	Participants	Instructor or supervisor checks element before use. Participants advised that logs may become slippery when wet	3	4	12	Adequately controlled
Participants may hurt back lifting poles	ALL	Participants are advised logs are heavy and to use several people to lift if necessary	4	3	12	Adequately controlled
Horseplay	Participants	Instructors observe for aggressive behaviour.	6	2	12	Adequately controlled
Rope burn	Participants	Participants advised of risks prior to use. Responsible adult always in attendance.	3	3	9	Trivial risk
Slipping and tripping	All	Participants advised of risks prior to use. Responsible adult always in attendance. All equipment and area checked prior to use.	4	4	16	Adequately controlled
Impact with pole	All	Participants to be supervised whilst moving poles.	5	4	20	Adequately controlled

Rating:	81-100	61-80	41-60	21-40	11-20	0-10	Code
Action:	Immediate action	Action within 1 week	Not adequately controlled	Further investigation	Adequately controlled	Trivial risk	RA11a