

Skreens Park Activity Centre – Risk Assessment – It's a Mystery

Date of assessment: 12/2018 Review: 12/2019
 Location: Team building area - activity lawn
 Assessed by: Pat Bailey
This document consists of page 1

Severity 0 – 10, Likelihood 0 -10, Rating 0 - 100
 0 being the lowest possible value
 Rating = Likelihood X Severity
All Hazards should fall within the adequately controlled category or lower.

Hazard	At risk	Control measures	Severity	Likelihood	Rating	Further Action
Slips, trips and falls	All	Group control. Group instructed to be careful when moving around site.	4	3	12	Adequately Controlled
Horseplay	All	Activity to be supervised by a instructor, leader or Responsible adults. Session to be stopped if behaviour prevents the instructor effectively supervising the group.	6	2	12	Adequately Controlled
Environmental factors	All	Instructors to be aware of hypo/hyperthermia All activities cancelled if conditions are deemed to endanger safety – i.e. lightning or high winds	8	2	16	Adequately Controlled
Equipment failure	Participants	All equipment checked prior to use. Monthly inspections carried out and logged.	4	3	12	Adequately controlled
Splinters	Participants	All equipment checked prior to use. Monthly inspections carried out and logged.	3	4	12	Adequately controlled
Rope burn	Participants	Participants advised of risks prior to use. Responsible adult always in attendance.	3	3	9	Trivial risk

Rating:	81-100	61-80	41-60	21-40	11-20	0-10	Code
Action:	Immediate action	Action within 1 week	Not adequately controlled	Further investigation	Adequately controlled	Trivial risk	RA11a