

Skreens Park Activity Centre – Risk Assessment – Dens and Tarpology

Date of assessment: 01/01/2019
 Location: bush craft area on site
 Assessed by: Pat Bailey
This document consists of 2 pages

Review Date: 01/2020

Severity 0 – 10, Likelihood 0 -10, Rating 0 - 100
 0 being the lowest possible value
 Rating = Likelihood X Severity
All Hazards should fall within the adequately controlled category or lower.

Hazard	At risk	Control measures	Severity	Likelihood	Rating	Further Action
Slips, trips and falls	All	Group control. Group instructed to be careful when moving around site. No running in the bush craft area	4	3	12	Adequately Controlled
Horseplay	All	Activity to be supervised by an instructor, leader or Responsible adults. Session to be stopped if behaviour prevents the instructor effectively supervising the group.	6	2	12	Adequately Controlled
Environmental factors	All	Instructors to be aware of hypo/hyperthermia All activities cancelled if conditions are deemed to endanger safety – i.e. lightning or high winds	8	2	16	Adequately Controlled
Objects falling down	All	Instructor to check shelter structures before the group are allowed to go inside it. Responsible adult must be present to help ensure that structure is stable. Bush craft area checked for loose or hanging branches on the monthly checks	4	3	12	Adequately controlled
Rope burn	Participants	Participants advised of risks prior to use. Responsible adult always in attendance.	3	3	9	Trivial risk
Stings form nettle areas	All	Nettles to be kept away from Den building area Monthly clearing and check before every den build for suitable spot	2	5	10	Trivial Risk

Rating:	81-100	61-80	41-60	21-40	11-20	0-10	Code
Action:	Immediate action	Action within 1 week	Not adequately controlled	Further investigation	Adequately controlled	Trivial risk	RA11a