

Skreens Park Activity Centre – Risk Assessment – Mini Crossbows

Date of assessment: 05/12/2018 due 05/12/2019
 Location: Activity barn –mini crossbow range
 Assessed by: Pat Bailey
This document consists of 1 page

Severity 0 – 10, Likelihood 0 -10, Rating 0 - 100
 0 being the lowest possible value
 Rating = Likelihood X Severity
All Hazards should fall within the adequately controlled category or lower.

Hazard	At risk	Control measures	Severity	Likelihood	Rating	Further Action
Slips, trips and falls	All	Group control. Group instructed to be careful when moving around site. No running on the range	4	3	12	Adequately Controlled
Horseplay	All	Activity to be supervised by a instructor, leader or Responsible adults. Session to be stopped if behaviour prevents the instructor effectively supervising the group.	6	2	12	Adequately Controlled
Suckers rebounding	All	Suckers cannot rebound the length of the range. Group size limited to 20	3	2	6	Adequately controlled
Contact with string	Participants	Each participant is shown how to use the crossbows and told to hold them at arm's length when firing	3	4	12	Adequately Controlled
Impact from sucker	All	Range is enclosed and waiting area is behind the shooting line	4	3	12	Adequately Controlled
Unauthorised use	All	Crossbows and darts to be locked in activities stores when not in use. Cross bows and darts not to be left unattended.	7	2	14	Adequately Controlled

Rating:	81-100	61-80	41-60	21-40	11-20	0-10	Code
Action:	Immediate action	Action within 1 week	Not adequately controlled	Further investigation	Adequately controlled	Trivial risk	RA11a