

**Skreens Park Activity Centre – Risk Assessment – Team Building**

Date of assessment: 12/2018      Review: 12/2019

Location: Team building area - activity lawn

Assessed by: Pat Bailey

**This document consists of page 1**

Severity 0 – 10, Likelihood 0 -10, Rating 0 - 100

0 being the lowest possible value

Rating = Likelihood X Severity

**All Hazards should fall within the adequately controlled category or lower.**

<b>Hazard</b>	<b>At risk</b>	<b>Control measures</b>	<b>Severity</b>	<b>Likelihood</b>	<b>Rating</b>	<b>Further Action</b>
Slips, trips and falls	All	Group control. Group instructed to be careful when moving around site.	4	3	12	Adequately Controlled
Horseplay	All	Activity to be supervised by a instructor, leader or Responsible adults. Session to be stopped if behaviour prevents the instructor effectively supervising the group.	6	2	12	Adequately Controlled
Environmental factors	All	Instructors to be aware of hypo/hyperthermia All activities cancelled if conditions are deemed to endanger safety – i.e. lightning or high winds	8	2	16	Adequately Controlled
Equipment failure	Participants	All equipment checked prior to use. Monthly inspections carried out and logged.	4	3	12	Adequately controlled
Splinters	Participants	All equipment checked prior to use. Monthly inspections carried out and logged.	3	4	12	Adequately controlled
Rope burn	Participants	Participants advised of risks prior to use. Responsible adult always in attendance.	3	3	9	Trivial risk

Rating:	81-100	61-80	41-60	21-40	11-20	0-10	Code
Action:	Immediate action	Action within 1 week	Not adequately controlled	Further investigation	Adequately controlled	Trivial risk	RA11a